























www.crazetechnology.Com











































← → C □ 192.168.1.1/login.asp	x 🏔 🔳
h^s Gazon 🔯 TTD 🗋 IRCTC 🏔 erail 🗋 Pandharpur h^s customer	🌣 Settings
	customer customer.gazonindia.com/Customer/Default.aspx
	Type on router
	Login
	No Internet access, please check your
	settings!
	Password:
	Ok Cancel
	∽ 📴 🔐 6:25 PM ∽ 📑 🗤 🗤 1/20/2016





	× 🗅 150M W	lireless-N Broadba	×							L	- 0 ×
← → C 🗋 192.168.	.1.1/advance.a	sp									☆ 🏔 🔳
h [®] Gazon 🥘 TTD 🗋 IRCTC	C 🏔 erail 🗋 P	andharpur h^s cu	istomer 🌣 Setti	ngs							
											Quick Wizards
	i Da	Sele	ct Network So	etting							
	ball D			Br	oadband R	Router			iB-WRB150N		
	Network	Wireless		Virtual	Security	Routing				_	
	Settings	Settings	DHCP	Server	Settings	Settings	Maintenance				
	Status Info	WAN LAN	MAC Clone	DNS Bandwi	dth control	Traffic statistics	WAN speed				
								н	elpinformation	Â	
	w.	AN status:						Con	nection type: It		
		Connection	status Connectir	ng				connec	s the current WAN ction type.		
		v	/AN IP					Con	nection time: The		
		Subne	t Mask					router's	s WAN port when the		
		Ga	iteway					IP, stat	ic IP, PPTP, L2TP or		
		Primar	y DNS					PPPoE	ning time: The time		
		Secondar	y DNS					that the	e router has been		
		Connectio	n type Dynamic	IP				enable	ed. ware Version :The		
		Connectio	n time 00:00:00					router's	s firmware version.		
		Release	Refresh								
	Sy	ystem status:									
		LAN MAC a	ddress 00:1E:A6:	77:86:10							
192.168.1.1/system_status.asp			00:1E:A6:	77:86:10						-	
										- 🖿 🌆 🍕	6:29 PM 3 1/20/2016





LOGIN × 150M Wireless-N Broadba ×	
← → C □ 192.168.1.1/advance.asp	☆ 🐃 🔳
h^s Gazon 🔯 TTD 🕒 IRCTC 🏔 erail 🗋 Pandharpur h^s customer 🌣 Settings	
	Quick Wizards

	i ball	aton	Sele	ct WAN	oadband R	outer		iB-WRB150N																							
	Network Settings	Wireless Settings	рнср	Virtual Server	Security Settings	Routing Settings	Maintenance																								
	Status Info	WAN LAN	MAC Clone	DNS Bandw	idth control T	raffic statistics	WAN speed			11																					
		Connection Type	Dynamic IP 🔻					He Dynam	Ip information nic IP: If your ISP																						
		MTU Size (in bytes)	[1500] (DO I	NOT modify it unless	necessary, the d	lefault is 1500)		select "D your ISP	ynamic IP", and will automatically																						
				Save Cano	el			assign th you (inc server)	lese values to ludes the DNS																						
/wan_connected.asp																															
8											~ P	- 🖻 🖬	- 🖻 🖬 🏎	- 🖻 🗓 🏎 1	▲ ■ 1/20/	 	▲ ■■ ^{6:29} PM 1/20/20:	▲ ■■ ^{6:29} PM 1/20/201	▲ ■ 1/20/201	▲ ■■ ^{6:29} PM 1/20/201	▲ ■ ^{6:29} PM 1/20/201	▲ ■ 1/20/2016	- ► 🗔 🕼 6:29 PM	▲ ■ 1/20/201	▲ ■■ 1/20/2016	▲ ■ □ 0:29 PM ▲ 1/20/201	▲ ■ 1/20/201	▲ ■ 1/20/2016	▲ ■ 1/20/2016	▲ ■▼ 🖏 🏎 6:29 PM 1/20/2016	▲ ■▼ 🖏 🏎 6:29 PM 1/20/2016





	× 🕒 150M Wireless-N Broadba ×	
← → C 🗋	192.168.1.1/advance.asp	☆ 🎬 🔳
h^s Gazon 🛛 🕅 TTD	🕒 IRCTC 🏔 erail 🗋 Pandharpur h^s customer 🌣 Settings	
		0.1111







LOGIN × D 150M Wireless-N Broadba ×	
← → C 192.168.1.1/advance.asp	☆ 🏔 🔳
h^s Gazon 🔯 TTD 🗅 IRCTC 🏔 erail 🗅 Pandharpur h^s customer 🌣 Settings	
	Quick Wizards
i Baton 150M Wireless - N Broadband Router B-WRB150	4
Network Wireless DHCP Virtual Security Routing Maintenance	
Settings Settings Settings Settings Settings	
the Info WAN LAN MAC Clone DNS Bandwidth control Traffic statistics WAN speed	
Type Your Type Your Internet User ID Help information	Ê
Internet Dassword	
Internet Passwold vame your internet username & passwold can use PPPoE. If they can use PPPoE. If they	
Password provide PPPoE Then enter	
MTU Size (in Set MTU Number 1475 Password.	
bytes)	
Service name craze (Don not enter the information unless	
necessary.)	
AC name (Don ngt Turno Crazo Tachmology	
necessary.)	
Select the corresponding connection mode according to your situation.:	
Connect Automatically	
Connection Demand	
Max idle time [60	
	▲ ■ 1/20/2016





LOGIN × 150M Wireless-N Broadba ×	
← → C 192.168.1.1/advance.asp	52 🏔 🔳
h^s Gazon 闷 TTD 🕒 IRCTC 🌇 erail 🗋 Pandharpur h^s customer 🌣 Settings	
	Quick Wizards
i Ba Select Network Setting Idband Router B-WRB150	N
Network meless DHCP Virtual Security Routing Maintenance Settings Settings Settings	
Status Info WAN LAN MAC Clone DNS Bandwidth control Traffic statistics WAN speed	
Service name craze (Don not enter the information unless necessary.)	-
AC name (Don not enter the information unless	
necessary.)	
Select the corresponding connection mode according to your situation.:	
Connect Automatically	
Connect on Demand	
Max.idle time 60 (60-3600 Second)	
Connect Manually	
O Connect on Time-based	
Note: The "Connect on Time-based" function goes into effect only when you have set the current	
time in "Time Settings" from "Maintenance".	
Connection time: from 0 hours 0 minutes to P	
Save Cancel	
	▲ 📑 🐂 🔩 6:32 PM 1/20/2016





150N	1 Wireless-N Broad	lba ×									Lê (
$\leftarrow \rightarrow$	C 192.16	8.1.1/advance.	.asp									☆ 🐃 🔳
h ⁸ Gazon	💽 TTD 🕒 IRC	TC 🌇 erail 🗋	Pandharpur h^s c	ustomer 🌣 Set	tings							
												<u>Quick Wizards</u>
		ball B	aton	150M W	ireless - N Br	oadband R	outer			iB-WRB150N		
											-	
		Network Settings	Wireless Settings	DHCP	Virtual Server	Security Settings	Routing Settings	Maintenance				
		Status Info	WAN LAN	MAC Clone	DNS Bandwi	idth control	Fraffic statistics	WAN speed				
								·				
			WAN status:						Help	o information		
			Connectior	n status Connec	ting				displays	the current WAN		
			N N	VAN IP					Conne	ction time: The		
			Subne	et Mask					connecte router's V	d time of the VAN port when the		
			G	ateway					connectio IP static	on type is dynamic		
			Prima	ry DNS					PPPoE.	1,1111,2211 01		
	Solo	ct Connoct	Seconda	ry DNS					Runnin that the ro	ig time: The time outer has been		
	JEIE		Connecti	on type PPPoE					enabled. Firmwa	re Version 'The		
			Connecti	on time 00:00:00)				router's fi	rmware version.		
			Connect	Disconnect								
			System status:									
			LAN MAC a	ddress 00:1E:A	6:77:86:10							
			WAN MAC a	ddress 00:1E:A	6:77:86:10						-	
											- 🖻 📷 🖉	6:39 PM 1/20/2016

www.crazetechnology.Com





LOGIN × 150M Wireless-N Broadba ×	
← → C 🗅 192.168.1.1/advance.asp	™ ≡
h^s Gazon 🔯 TTD 🗅 IRCTC 🏔 erail 🗅 Pandharpur h^s customer 🌣 Settings	
	Quick Wizards
i B Select for WiFi setting	
Dalle Dionadolina Adulta	
Network Wireless DLCR Virtual Security Routing Maintenance	
Settings Settings Settings Settings Maintenance	
Wireless Basic Settings Wireless Security MAC Filtering Connection Statue	
Type Your WiFi Zone Name	<u>^</u>
✓ Enable wireless function	
Network Mode Automatic(802.11b/g/n)	
Primary SSID vour name (harish) on this page, we suggest vou set only the SSID and vou set only the SSID and	
Secondary SSID	
Contrary (SSID) Stable SiD: The network name	
broadcasi(doil) Eliable Disable shared by all the devices in the utility of the devices in the d	
Channel Autoselect	
Channel Bandwidth 20 20/40 Witeless Clients search for	
Extension Channel Auto Select Connect in the area they	
detect SSID broadcast via the muter if selected the	
WMM Capable	
APSD Capable Cabable Disable Disable Channel You can select	
Auto-select mode, or any of	
Save Cancel the less used channels in the le	
your area to avoid	-
	- ► 🔂 k 6:34 PM 1/20/2016





LOGIN × 150M Wireless-N Broadba ×	
← → C 192.168.1.1/advance.asp	☆ 🐃 🔳
h^s Gazon 🔯 TTD 🗅 IRCTC 🏔 erail 🗅 Pandharpur h^s customer 🌣 Settings	
	Quick Wizards
^I Raton [*]	
ball Daton 150 Select Wireless security	iB-WRB150N
Network Wireless DHCP Virtual Security Routing Maintenance	
Settings Settings Settings Settings	
Wireless Basic Settings Wireless Security MAC Filtering Connection Status Operation Modes	
Selected SSID your name (harish) ▼ Security Mode Disable Open Select Shared Select Note: Wireless Security Setting WPA_PSK Solution Select WPA_PSK rsonal-AES, and WPA2 personal- WPA_PSK wPAYPA2_PSK Mixed WPA_WPA2_PSK rsonal-AES, and WPA2 personal- WPA_PPSK wPAYPA2_Enterprise AES encryption methods. Other outpace interval and and, and compatibility problems well about the may occur among different manufacturers. Our company has optimized wireless encryption. Select WPA-AES and weight from access to your network. Save Your Setting Save Cancel	formation Provide an analor mixed a should make wireless client ncryption n you are not he security aggest using al. If you know ase security an select any is your wireless pport it.
	▲ ■ ↓ 6:35 PM 1/20/2016



